

Product Information **541 XF**

Product structure												
Backing	·	Flexible X-weight cotton cloth										
Flexibility		low 1		V	10 high			•••••				
Grain Type		Aluminium oxide										
Coating	Clos	Closed coat										
Top Coat			stearate special top coat									
Manufactured Width	•••••	1	400 mm	143	30 mm	1650 m	m 🔲	others				
Form		a	>	• • • • • • • • • • • • • • • • • • • •				•••••				
Suitable for	able for											
Grits										Ceram	ic, zirconia, #	¥ and * = non P-Grits
P 12 P 16	P 24 P 3	0 P 36	P 40	∑ P 50	№ P 60	№ P 80	P 100	P 120	P 150	P 180	P 220	0 P 240
№ P 280 № P 320	P 360 P 4	00 P 500	P 600	P 800	P 1.00	00 P 1.20	0 P 1.500	P 2.00	0 P 2.500	ST 3.00	0* ST 5.1	000* ST 7.000*
Materials												
Aluminium Non-feri meta		tainless steel	Steel	Titar	nium	Paint Iacquer	Glas	S	Wood	Plastic	:s	Stone/china
Application examples	S											
Page metarial for spindle	wheele		Page M	natorial for	flan whoo			Crindi	og holts for	plantria and	nnoumat	in nower files

- High stock removal and excellent self sharpening effect due to strong and specially treated X-weight cotton backing
- Best assimilation of the grinding fins even to heavily contured workpieces due to its flexibillity
- Best belt tracking on power files above very little idler bullies due to its flexibillity