

NEW

STARCKE®

Genuine STARCKE. Since 1829.

543F7 The Special Wood Sanding Abrasive




www.starcke.de

SURFACE AND EDGE SANDING



Source: Weber



Source: Langzauner



Source: Langzauner

ARTICLE NO. 543F7

Backing	Sturdy F-paper
Bonding	Resin over resin
Grain type	Aluminium oxide
Grits	P40, P60 - P320, P400
Dimension	Wide belt Long belt Edge sanding belt
Areas of application	Sanding of solid wood boards and veneer surface boards
Suitable for	Hardwood and softwood
Benefits	– High stock removal – Long service life – High-class surface



... PAR EXCELLENCE



- High-performance aluminium oxide abrasive grain ensures high stock removal rates
- Long service life due to an open grain coat and antistatic treatment
- Achieving high-class surfaces by precisely coated abrasive grain



STARCKE GmbH & Co. KG
Markt 10
D-49324 Melle
Telefon + 49 (0) 54 22 966-0
Telefax + 49 (0) 54 22 966-301
info@starcke.de
www.starcke.de

STARCKE Abrasives UK LTD.
Unit T4, Capital Business Park
Parkway, Rumney
CF3 2PZ Cardiff
Great Britain
Telephone + 44 2920 777534
Telefax + 49 2920 363414
info@starckeuk.com
www.starckeuk.com

STARCKE Abrasives USA, Inc.
9109 Forsyth Park Drive
Charlotte, NC 28273
Telephone + 1 (866) 742-6683
Fax + 1 (877) 504-1204
sales@starckeusa.com
www.starckeusa.com