

NEW

STARCKE®


Genuine STARCKE. Since 1829.

NANOGRIT Abrasive for super fine sanding



www.starcke.de

SUPER FINE SANDING



ARTICLE-NO. NANOGRIT


Backing	highly flexible J-weight cotton cloth
Bonding	soft bond
Grain type	special aluminum oxide
Suitable for	hand sanding
Manufacturing width	152 mm
Grits	#1500, #1800, #2400, #3200, #4000, #6000, #8000
Available as	Rolls
Areas of application	Acryl glass and similar articles, varnish, metal
Benefits	<ul style="list-style-type: none">– Extremely flexible to achieve a superb finish– Reconditioning of dull and worn acryl glass surfaces– Polishing of cutting edges of special knives– Achieving lowest roughness



Extremely flexible to achieve a superb finish. Very uniform surface finish



Acryl glass dull and worn



Acryl glass highly polished

SURFACE IN PERFECTION



- Polishing of dull and worn acryl glass surfaces
- Extremely flexible to achieve a superb finish
- Achieving lowest roughness



The following link will take you straight to our NANOGRIT product information

STARCKE GmbH & Co. KG
Markt 10
D-49324 Melle
Phone + 49 (0) 54 22 966-0
Telefax + 49 (0) 54 22 966-301
info@starcke.de
www.starcke.de